

**PVC Steuerleitungen ÖVE/VDE**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
<b>STEUERLEITUNG PVC UNGESCHIRMT</b>						
<b>LS-YY, YSLY GRAU</b>						
LS-YY 2x0,5			6,0	45,0	10,0	492,40
LS-YY 3x0,5			6,0	50,0	15,0	561,40
		-OZ (Ziffern)				617,50
LS-YY 4x0,5			6,5	60,0	20,0	681,50
LS-YY 5x0,5			7,0	70,0	25,0	813,20
		-OZ (Ziffern)				894,50
LS-YY 7x0,5			7,5	85,0	35,0	1.153,70
LS-YY 10x0,5			9,5	125,0	50,0	2.072,60
		-OZ (Ziffern)				2.279,80
LS-YY 12x0,5			10,0	140,0	60,0	2.234,30
LS-YY 14x0,5			10,5	160,0	70,0	2.484,70
LS-YY 16x0,5			11,0	180,0	80,0	3.005,90
LS-YY 18x0,5			11,5	195,0	90,0	3.143,60
LS-YY 21x0,5			12,5	230,0	105,0	3.674,40
LS-YY 25x0,5			13,0	280,0	125,0	4.444,70
LS-YY 30x0,5			14,0	330,0	150,0	4.829,30
LS-YY 34x0,5			16,0	380,0	170,0	5.481,00
LS-YY 40x0,5			17,0	420,0	200,0	6.100,40
LS-YY 50x0,5			19,0	530,0	250,0	8.598,30
LS-YY 61x0,5			20,5	620,0	305,0	10.170,10
LS-YY 2x0,75			6,5	50,0	15,0	523,10
LS-YY 3x0,75			6,5	65,0	22,5	626,80
		-OZ (Ziffern)				689,50
LS-YY 4x0,75			7,5	75,0	30,0	777,50
		-OZ (Ziffern)				855,30
LS-YY 5x0,75			8,0	95,0	37,5	968,00
		-OZ (Ziffern)				1.064,90
LS-YY 6x0,75			8,1	103,0	45,0	1.145,30
LS-YY 7x0,75			8,5	120,0	52,5	1.301,10
		-OZ (Ziffern)				1.431,10
LS-YY 10x0,75			11,0	160,0	75,0	2.140,90
LS-YY 12x0,75			11,0	180,0	90,0	2.381,70
		-OZ (Ziffern)				2.619,90
LS-YY 14x0,75			11,5	210,0	105,0	2.690,20
LS-YY 15x0,75			12,5	220,0	112,5	3.026,20
LS-YY 16x0,75			12,5	240,0	120,0	3.144,60
LS-YY 18x0,75			13,5	260,0	135,0	3.263,40
LS-YY 21x0,75			14,0	310,0	157,5	4.118,80
LS-YY 24x0,75			16,0	360,0	180,0	4.472,40
LS-YY 25x0,75			16,5	390,0	187,5	4.705,90
LS-YY 34x0,75			18,5	530,0	255,0	6.046,50
LS-YY 41x0,75			19,5	570,0	307,5	8.554,00
LS-YY 50x0,75			21,5	710,0	375,0	10.352,20
LS-YY 61x0,75			23,0	830,0	457,5	12.053,40
LS-YY 80x0,75			26,5	1.080,0	600,0	16.275,30
LS-YY 2x1,0			5,8	65,0	20,0	596,60
LS-YY 3x1,0			7,0	75,0	30,0	721,90
		-OZ (Ziffern)				794,10
LS-YY 4x1,0			8,0	95,0	40,0	897,20
LS-YY 5x1,0			8,5	120,0	50,0	1.099,80
LS-YY 7x1,0			9,0	140,0	70,0	1.568,20
		-OZ (Ziffern)				1.725,10
LS-YY 10x1,0			11,5	200,0	100,0	2.479,90
		-OZ (Ziffern)				2.727,90
LS-YY 12x1,0			12,0	210,0	120,0	2.672,80
LS-YY 14x1,0			13,0	270,0	140,0	3.077,70
LS-YY 16x1,0			13,5	300,0	160,0	3.540,20
LS-YY 18x1,0			14,5	330,0	180,0	4.001,40
LS-YY 21x1,0			15,5	390,0	210,0	4.848,40
LS-YY 34x1,0			20,0	640,0	340,0	7.177,40
LS-YY 40x1,0			20,5	710,0	400,0	8.420,70
LS-YY 50x1,0			24,0	890,0	500,0	10.746,40
LS-YY 61x1,0			25,0	1.050,0	610,0	12.838,10
LS-YY 2x1,5			7,5	80,0	30,0	718,50
LS-YY 3x1,5			8,0	100,0	45,0	886,70
LS-YY 4x1,5			8,5	120,0	60,0	1.137,70
LS-YY 5x1,5			9,5	150,0	75,0	1.404,10
LS-YY 7x1,5			10,5	190,0	105,0	1.876,10
LS-YY 8x1,5			11,5	220,0	120,0	2.422,20
LS-YY 10x1,5			13,5	290,0	150,0	2.969,90

**PVC Steuerleitungen ÖVE/VDE**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
LS-YY 12x1,5			14,0	320,0	180,0	3.431,20
LS-YY 14x1,5			15,0	380,0	210,0	4.157,20
LS-YY 16x1,5			16,0	420,0	240,0	4.535,80
LS-YY 18x1,5			17,0	470,0	270,0	4.944,30
LS-YY 21x1,5			17,5	520,0	315,0	6.262,10
LS-YY 25x1,5			20,5	660,0	375,0	6.431,00
LS-YY 26x1,5			21,0	692,0	390,0	6.656,40
LS-YY 32x1,5			22,0	800,0	480,0	8.733,50
LS-YY 34x1,5			23,0	860,0	510,0	9.097,90
LS-YY 42x1,5			25,0	1.015,0	630,0	11.080,60
LS-YY 50x1,5			27,0	1.230,0	750,0	13.712,70
LS-YY 61x1,5			29,0	1.450,0	915,0	16.258,50
LS-YY 2x2,5			9,0	120,0	50,0	1.195,60
LS-YY 3x2,5			9,5	140,0	75,0	1.373,00
LS-YY 4x2,5			10,0	180,0	100,0	1.681,50
		-OZ (Ziffern)				1.849,60
LS-YY 5x2,5			11,0	220,0	125,0	2.125,70
LS-YY 7x2,5			12,5	290,0	175,0	2.901,60
LS-YY 10x2,5			16,5	440,0	250,0	4.889,20
LS-YY 12x2,5			17,0	490,0	300,0	5.454,60
LS-YY 16x2,5			19,0	630,0	400,0	7.196,60
LS-YY 18x2,5			20,0	710,0	450,0	8.332,30
LS-YY 25x2,5			24,5	1.000,0	625,0	11.395,70
LS-YY 34x2,5			27,5	1.300,0	850,0	15.225,80
LS-YY 2x4,0			10,5	180,0	80,0	2.166,20
LS-YY 3x4,0			11,0	220,0	120,0	2.652,40
LS-YY 4x4,0			12,5	280,0	160,0	2.874,10
LS-YY 5x4,0			13,5	350,0	200,0	3.618,10
LS-YY 7x4,0			15,5	460,0	280,0	4.986,20
LS-YY 10x4,0			20,0	670,0	400,0	8.771,60
LS-YY 2x6,0			11,9	210,0	120,0	3.273,20
LS-YY 3x6,0			12,5	320,0	180,0	3.631,20
LS-YY 4x6,0			14,5	400,0	240,0	4.076,90
LS-YY 5x6,0			16,0	480,0	300,0	4.829,30
LS-YY 7x6,0			17,5	640,0	420,0	7.167,80
LS-YY 4x10			19,5	710,0	400,0	7.131,90
LS-YY 5x10			21,5	870,0	500,0	11.254,30
LS-YY 7x10			23,5	1.140,0	700,0	13.356,90
LS-YY 4x16			20,5	950,0	640,0	10.419,30
LS-YY 5x16			23,0	1.160,0	800,0	14.451,90
LS-YY 7x16			25,0	1.530,0	1.120,0	19.487,20
LS-YY 4x25			29,1	1.590,0	1.000,0	17.487,70
LS-YY 5x25			30,0	2.000,0	1.250,0	23.717,40
LS-YY 4x35			32,4	2.110,0	1.400,0	24.142,70
LS-YY 5x35			33,0	2.635,0	1.750,0	30.908,00
LS-YY 4x50			35,0	2.950,0	2.000,0	35.802,00
LS-YY 4x70			40,0	4.254,0	2.800,0	49.642,90
LS-YY 4x95			42,6	4.421,0	3.800,0	62.837,60
<b>LS-YY, YSLY BLAU</b>						
LS-YY 2x0,75 blau			6,5	50,0	15,0	653,80
LS-YY 3x0,75 blau			6,5	65,0	22,5	783,50
LS-YY 4x0,75 blau			7,1	77,0	30,0	1.049,70
LS-YY 5x0,75 blau			7,8	110,0	37,5	1.306,80
LS-YY 7x0,75 blau			8,4	116,0	52,5	1.626,30
LS-YY 12x0,75 blau			10,9	187,0	90,0	2.977,10
LS-YY 18x0,75 blau			13,2	285,0	135,0	4.079,30
LS-YY 24x0,75 blau			16,1	385,0	180,0	5.590,50
LS-YY 50x0,75 blau			21,5	740,0	375,0	13.975,50
LS-YY 2x1,0 blau			6,6	62,0	20,0	745,80
LS-YY 3x1,0 blau			7,0	74,0	30,0	902,40
LS-YY 4x1,0 blau			8,0	95,0	40,0	1.211,20
LS-YY 5x1,0 blau			8,5	111,0	50,0	1.374,80
LS-YY 7x1,0 blau			10,0	140,0	70,0	1.960,30
LS-YY 12x1,0 blau			12,0	232,0	120,0	3.341,00
LS-YY 18x1,0 blau			14,0	332,0	180,0	5.001,80
LS-YY 25x1,0 blau			16,0	464,0	250,0	7.310,40
LS-YY 2x1,5 blau			7,5	80,0	30,0	898,10
LS-YY 3x1,5 blau			8,3	106,0	45,0	1.197,10
LS-YY 4x1,5 blau			9,0	127,0	60,0	1.422,10
LS-YY 5x1,5 blau			9,8	156,0	75,0	1.755,10
LS-YY 7x1,5 blau			11,9	229,0	105,0	2.345,20
LS-YY 12x1,5 blau			14,0	326,0	180,0	4.289,00

**PVC Steuerleitungen ÖVE/VDE**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
LS-YY 18x1,5 blau			17,5	492,0	270,0	6.180,40
LS-YY 25x1,5 blau			20,5	660,0	375,0	8.681,90
<b>LS-YCVY, YSLCY GRAU ODER TRANSPARENT</b>						
LS-YCVY 2x0,5			6,1	100,0	36,0	1.464,00
LS-YCVY 3x0,5			6,4	60,0	43,0	1.551,50
LS-YCVY 4x0,5			6,8	120,0	49,0	1.757,50
LS-YCVY 5x0,5			7,4	130,0	57,0	1.963,60
LS-YCVY 7x0,5			7,9	160,0	69,0	2.513,50
LS-YCVY 10x0,5			9,8	210,0	92,0	3.682,80
LS-YCVY 12x0,5			10,0	230,0	104,0	3.866,10
LS-YCVY 18x0,5			11,6	300,0	141,0	4.671,20
LS-YCVY 25x0,5			14,5	420,0	211,0	6.145,90
LS-YCVY 2x0,75			6,7	120,0	43,0	1.550,30
LS-YCVY 3x0,75			7,0	130,0	52,0	1.745,50
		-OZ (Ziffern)				1.800,60
LS-YCVY 4x0,75			7,6	150,0	61,0	1.960,00
		-OZ (Ziffern)				2.032,00
LS-YCVY 5x0,75			8,2	170,0	72,0	2.191,20
		-OZ (Ziffern)				2.280,70
LS-YCVY 7x0,75			8,8	200,0	89,0	2.777,00
		-OZ (Ziffern)				2.898,80
LS-YCVY 10x0,75			11,0	250,0	121,0	4.124,80
		-OZ (Ziffern)				4.537,30
LS-YCVY 12x0,75			11,3	280,0	138,0	4.607,60
LS-YCVY 18x0,75			13,9	400,0	211,0	6.179,50
LS-YCVY 21x0,75			14,6	450,0	237,0	6.965,40
LS-YCVY 25x0,75			16,6	570,0	280,0	8.012,40
LS-YCVY 34x0,75			18,9	740,0	357,0	10.069,50
LS-YCVY 2x1,0			7,0	120,0	51,0	1.609,00
LS-YCVY 3x1,0			7,3	140,0	62,0	1.873,70
		-OZ (Ziffern)				1.934,70
LS-YCVY 4x1,0			7,9	160,0	74,0	2.193,60
		-OZ (Ziffern)				2.272,30
LS-YCVY 5x1,0			8,6	190,0	88,0	2.513,50
		-OZ (Ziffern)				2.622,60
LS-YCVY 7x1,0			9,3	220,0	112,0	3.210,70
		-OZ (Ziffern)				3.350,20
LS-YCVY 8x1,0			9,9	250,0	124,0	3.772,80
LS-YCVY 10x1,0			11,6	310,0	152,0	4.608,40
LS-YCVY 12x1,0			11,9	288,0	174,0	5.095,20
		-OZ (Ziffern)				5.352,50
LS-YCVY 16x1,0			14,0	380,0	241,0	5.764,90
LS-YCVY 18x1,0			14,6	440,0	268,0	6.722,20
		-OZ (Ziffern)				7.118,80
LS-YCVY 25x1,0			17,6	680,0	354,0	8.557,50
LS-YCVY 34x1,0			19,9	880,0	458,0	10.814,60
LS-YCVY 50x1,0			23,8	1.220,0	671,0	15.805,60
LS-YCVY 2x1,5			7,7	80,0	65,0	1.968,40
LS-YCVY 3x1,5			8,1	170,0	82,0	2.234,30
LS-YCVY 4x1,5			8,7	200,0	100,0	2.633,30
		-OZ (Ziffern)				2.731,90
LS-YCVY 5x1,5			9,6	230,0	119,0	3.032,20
		-OZ (Ziffern)				3.158,70
LS-YCVY 7x1,5			10,3	280,0	154,0	3.830,10
		-OZ (Ziffern)				3.995,00
LS-YCVY 10x1,5			13,8	430,0	236,0	5.124,00
LS-YCVY 12x1,5			14,0	460,0	268,0	5.737,40
		-OZ (Ziffern)				6.077,50
LS-YCVY 16x1,5			15,9	590,0	338,0	7.163,00
LS-YCVY 18x1,5			16,7	660,0	373,0	7.623,10
LS-YCVY 25x1,5			18,7	940,0	530,0	9.762,80
LS-YCVY 27x1,5			20,2	960,0	560,0	10.594,10
LS-YCVY 34x1,5			22,4	1.190,0	686,0	13.758,20
LS-YCVY 50x1,5			26,6	1.660,0	1.001,0	19.141,00
LS-YCVY 2x2,5			8,9	200,0	92,0	2.910,00
LS-YCVY 3x2,5			9,4	230,0	119,0	3.194,00
LS-YCVY 4x2,5			10,2	270,0	149,0	3.577,30
LS-YCVY 5x2,5			11,2	320,0	179,0	3.960,70
LS-YCVY 7x2,5			12,5	410,0	254,0	5.218,60
LS-YCVY 10x2,5			16,2	610,0	353,0	7.788,40
LS-YCVY 12x2,5			16,9	670,0	407,0	8.146,60
LS-YCVY 16x2,5			18,8	840,0	520,0	10.746,90

**PVC Steuerleitungen ÖVE/VDE**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
LS-YCVY	18x2,5		20,1	950,0	610,0	12.444,00
LS-YCVY	4x4,0		13,3	410,0	248,0	6.565,20
LS-YCVY	5x4,0		14,5	480,0	288,0	7.048,00
LS-YCVY	7x4,0		16,1	630,0	378,0	11.868,90
LS-YCVY	2x6,0		13,0	380,0	183,0	4.968,90
LS-YCVY	3x6,0		14,0	440,0	265,0	5.976,30
LS-YCVY	4x6,0		15,6	560,0	334,0	7.769,20
LS-YCVY	5x6,0		17,0	650,0	403,0	9.111,00
LS-YCVY	4x10		22,5	920,0	535,0	13.487,50
LS-YCVY	5x10		25,0	1.150,0	662,0	15.022,10
LS-YCVY	4x16		24,0	1.220,0	809,0	19.059,50
LS-YCVY	5x16		26,5	1.290,0	960,0	23.002,20
LS-YCVY	4x25		28,6	1.680,0	1.280,0	31.615,60
LS-YCVY	5x25		32,1	1.965,0	1.530,0	33.196,40
LS-YCVY	4x35		29,0	2.500,0	1.672,0	43.270,80
LS-YCVY	5x35		33,0	2.640,0	1.750,0	52.227,80
LS-YCVY	4x50		40,0	3.360,0	2.350,0	66.251,70
LS-YCVY	5x50		44,5	3.700,0	2.500,0	79.965,90
LS-YCVY	4x70		46,0	6.001,0	3.132,0	92.218,10
LS-YCVY	4x120		50,0	6.500,0	5.263,0	134.231,00
<b>LS-YCVY, YSLCY BLAU</b>						
LS-YCVY	2x0,75 blau		6,7	120,0	43,0	1.937,80
LS-YCVY	3x0,75 blau		7,0	130,0	52,0	2.356,50
LS-YCVY	4x0,75 blau		7,6	145,0	61,0	2.646,00
LS-YCVY	5x0,75 blau		8,2	165,0	72,0	2.958,10
LS-YCVY	7x0,75 blau		9,5	195,0	89,0	3.749,00
LS-YCVY	12x0,75 blau		12,0	232,0	138,0	5.508,20
LS-YCVY	18x0,75 blau		13,9	315,0	211,0	8.342,30
LS-YCVY	24x0,75 blau		16,5	425,0	273,0	9.095,90
LS-YCVY	25x0,75 blau		19,5	570,0	280,0	10.816,80
LS-YCVY	2x1,0 blau		7,0	84,0	51,0	2.011,20
LS-YCVY	3x1,0 blau		7,3	140,0	62,0	2.515,10
LS-YCVY	4x1,0 blau		7,9	160,0	74,0	2.954,00
LS-YCVY	5x1,0 blau		8,4	156,0	88,0	3.393,20
LS-YCVY	7x1,0 blau		10,9	192,0	112,0	4.013,40
LS-YCVY	12x1,0 blau		12,2	285,0	185,0	6.878,60
LS-YCVY	18x1,0 blau		17,5	500,0	268,0	9.074,90
LS-YCVY	25x1,0 blau		21,0	656,0	354,0	11.552,70
LS-YCVY	2x1,5 blau		8,5	97,0	65,0	2.460,50
LS-YCVY	3x1,5 blau		8,9	125,0	82,0	3.016,30
LS-YCVY	4x1,5 blau		9,7	165,0	100,0	3.554,90
LS-YCVY	5x1,5 blau		10,7	193,0	119,0	3.790,30
LS-YCVY	7x1,5 blau		11,5	245,0	154,0	5.170,70
LS-YCVY	25x1,5 blau		24,5	940,0	481,0	13.179,70
<b>STEUERLEITUNG PVC STAHLDRRAHT GESCHIRMT</b>						
<b>LS-YYQY, YSLYSY GRAU ODER TRANSPARENT</b>						
LS-YYQY	2x0,75		9,5	130,0	15,0	1.432,50
LS-YYQY	3x0,75		10,0	150,0	22,5	1.550,60
LS-YYQY	4x0,75		10,5	160,0	30,0	1.673,20
LS-YYQY	5x0,75		11,0	190,0	37,5	1.832,30
LS-YYQY	7x0,75		12,0	220,0	52,5	2.335,80
LS-YYQY	10x0,75		14,0	280,0	75,0	3.536,40
LS-YYQY	12x0,75		14,5	310,0	90,0	3.643,40
LS-YYQY	2x1,0		10,0	150,0	20,0	1.576,20
LS-YYQY	3x1,0		10,5	170,0	30,0	1.670,50
LS-YYQY	4x1,0		11,0	190,0	40,0	2.070,90
LS-YYQY	5x1,0		12,0	220,0	50,0	2.203,90
LS-YYQY	7x1,0		12,5	250,0	70,0	2.752,70
LS-YYQY	2x1,5		11,0	170,0	30,0	1.567,60
LS-YYQY	3x1,5		11,5	190,0	45,0	1.838,20
LS-YYQY	4x1,5		12,0	230,0	60,0	2.063,20
LS-YYQY	5x1,5		13,0	260,0	75,0	2.374,90
LS-YYQY	7x1,5		13,5	310,0	105,0	2.854,80
LS-YYQY	12x1,5		17,5	490,0	180,0	4.404,50
LS-YYQY	18x1,5		20,5	670,0	270,0	5.715,30
LS-YYQY	25x1,5		24,5	900,0	375,0	7.913,50
LS-YYQY	3x2,5		12,5	250,0	75,0	2.420,70
LS-YYQY	4x2,5		13,5	300,0	100,0	2.850,60
LS-YYQY	5x2,5		14,5	350,0	125,0	3.246,10
LS-YYQY	7x2,5		16,0	430,0	175,0	4.335,10
LS-YYQY	4x4,0		15,5	430,0	160,0	3.911,60
LS-YYQY	5x4,0		17,0	510,0	200,0	4.827,60

**PVC Steuerleitungen ÖVE/VDE**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
LS-YYQY	7x4,0		19,0	640,0	280,0	5.986,00
LS-YYQY	4x6,0		18,0	570,0	240,0	5.465,70
LS-YYQY	5x6,0		19,0	670,0	300,0	6.089,80
LS-YYQY	7x6,0		21,0	850,0	420,0	8.233,20
LS-YYQY	4x10,0		23,0	960,0	400,0	8.171,60
<b>STEUERLEITUNG PVC VDE</b>						
<b>H05VV5-F (NYSLYoe)</b>						
NYSLYoe	3G0,75 (H05VV5-F)		7,0	62,0	22,5	715,70
NYSLYoe	4G0,75 (H05VV5-F)		7,6	78,0	30,0	890,30
NYSLYoe	5G0,75 (H05VV5-F)		8,5	100,0	37,5	1.180,00
NYSLYoe	7G0,75 (H05VV5-F)		10,6	150,0	52,5	1.917,10
NYSLYoe	12G0,75 (H05VV5-F)		12,8	213,0	90,0	2.685,20
NYSLYoe	2x1 (H05VV5-F)		6,2	63,0	20,0	717,00
NYSLYoe	3G1 (H05VV5-F)		7,3	74,0	30,0	837,90
NYSLYoe	4G1 (H05VV5-F)		8,1	90,0	40,0	1.023,40
NYSLYoe	5G1 (H05VV5-F)		9,2	120,0	50,0	1.480,60
NYSLYoe	7G1 (H05VV5-F)		10,9	170,0	70,0	2.287,10
NYSLYoe	12G1 (H05VV5-F)		13,4	260,0	120,0	3.104,30
NYSLYoe	18G1 (H05VV5-F)		16,2	390,0	180,0	4.640,60
NYSLYoe	25G1 (H05VV5-F)		19,9	540,0	250,0	6.445,40
NYSLYoe	34G1 (H05VV5-F)		22,0	710,0	340,0	8.184,90
NYSLYoe	3G1,5 (H05VV5-F)		8,3	95,0	45,0	1.019,40
NYSLYoe	4G1,5 (H05VV5-F)		9,5	125,0	60,0	1.326,70
NYSLYoe	5G1,5 (H05VV5-F)		10,5	150,0	75,0	1.760,00
NYSLYoe	7G1,5 (H05VV5-F)		12,9	225,0	105,0	2.657,20
NYSLYoe	12G1,5 (H05VV5-F)		15,3	330,0	180,0	3.938,90
NYSLYoe	18G1,5 (H05VV5-F)		18,5	520,0	270,0	5.240,50
NYSLYoe	25G1,5 (H05VV5-F)		22,5	720,0	375,0	9.074,90
NYSLYoe	3G2,5 (H05VV5-F)		10,0	165,0	75,0	1.554,90
NYSLYoe	4G2,5 (H05VV5-F)		10,9	200,0	100,0	1.978,30
NYSLYoe	5G2,5 (H05VV5-F)		12,2	240,0	125,0	2.566,50
NYSLYoe	7G2,5 (H05VV5-F)		14,5	360,0	175,0	3.949,00
NYSLYoe	4G4 (H05VV5-F)		12,9	300,0	160,0	3.287,70
NYSLYoe	5G4 (H05VV5-F)		14,1	355,0	200,0	3.986,30
NYSLYoe	4G6 (H05VV5-F)		16,8	450,0	240,0	5.052,10
NYSLYoe	5G6 (H05VV5-F)		18,4	470,0	300,0	5.159,80
<b>H05VVC4V5-K (NYSLYCYoe)</b>						
NYSLYCYoe	3G0,75 (H05VVC4V5-K)		9,4	120,0	52,0	2.484,80
NYSLYCYoe	4G0,75 (H05VVC4V5-K)		10,0	155,0	61,0	2.996,60
NYSLYCYoe	5G0,75 (H05VVC4V5-K)		10,5	175,0	78,0	3.643,00
NYSLYCYoe	7G0,75 (H05VVC4V5-K)		13,0	220,0	107,0	5.131,10
NYSLYCYoe	3G1,0 (H05VVC4V5-K)		10,0	140,0	75,0	2.666,40
NYSLYCYoe	4G1,0 (H05VVC4V5-K)		11,3	175,0	86,0	3.598,10
NYSLYCYoe	5G1,0 (H05VVC4V5-K)		12,0	200,0	102,0	4.329,60
NYSLYCYoe	7G1,0 (H05VVC4V5-K)		13,5	245,0	127,0	5.528,30
NYSLYCYoe	3G1,5 (H05VVC4V5-K)		10,7	190,0	95,0	3.373,80
NYSLYCYoe	4G1,5 (H05VVC4V5-K)		12,0	215,0	116,0	4.383,00
NYSLYCYoe	5G1,5 (H05VVC4V5-K)		12,8	255,0	130,0	5.450,80
NYSLYCYoe	7G1,5 (H05VVC4V5-K)		15,0	330,0	168,0	7.607,90
NYSLYCYoe	3G2,5 (H05VVC4V5-K)		13,0	280,0	118,0	5.740,10
NYSLYCYoe	4G2,5 (H05VVC4V5-K)		14,0	340,0	163,0	6.581,40
NYSLYCYoe	5G2,5 (H05VVC4V5-K)		12,2	240,0	125,0	7.840,00
NYSLYCYoe	7G2,5 (H05VVC4V5-K)		17,0	430,0	288,0	10.471,20