

**PVC Energiekabel 0,6/1,0 KV**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
<b>ENERGIEKABEL 1KV CU UNGESCHIRMT</b>						
<b>E-YY 1KV EINLEITER</b>						
E-YY-O	1x10 RE		9,0	180,0	100,0	995,70
E-YY-O	1x16 RE		10,0	250,0	160,0	1.617,40
E-YY-O	1x25 RM		12,0	370,0	250,0	2.276,30
E-YY-O	1x35 RM		13,0	480,0	350,0	2.995,10
E-YY-O	1x50 RM		15,0	640,0	500,0	3.869,70
E-YY-O	1x70 RM		17,0	850,0	700,0	5.307,30
E-YY-O	1x95 RM		19,0	1.140,0	950,0	7.224,10
E-YY-O	1x120 RM		21,0	1.390,0	1.200,0	8.685,70
E-YY-O	1x150 RM		22,0	1.710,0	1.500,0	10.422,90
E-YY-O	1x185 RM		25,0	2.070,0	1.850,0	13.238,30
E-YY-O	1x240 RM		28,0	2.650,0	2.400,0	16.952,20
E-YY-O	1x300 RM		31,0	3.300,0	3.000,0	21.924,00
E-YY-J	1x16 RE		10,0	250,0	160,0	1.830,20
E-YY-J	1x25 RM		12,0	370,0	250,0	2.478,40
E-YY-J	1x35 RM		13,0	480,0	350,0	3.378,50
E-YY-J	1x50 RM		15,0	640,0	500,0	4.311,20
E-YY-J	1x70 RM		17,0	850,0	700,0	5.879,40
E-YY-J	1x95 RM		19,0	1.140,0	950,0	8.047,70
E-YY-J	1x120 RM		21,0	1.390,0	1.200,0	9.589,10
E-YY-J	1x150 RM		22,0	1.710,0	1.500,0	11.610,00
E-YY-J	1x185 RM		25,0	2.070,0	1.850,0	14.746,10
E-YY-J	1x240 RM		28,0	2.650,0	2.400,0	19.254,30
<b>E-YY 1KV MEHRLEITER</b>						
E-YY-O	2x1,5 RE		11,0	160,0	30,0	940,10
E-YY-O	2x2,5 RE		12,0	200,0	50,0	1.159,80
E-YY-O	2x4 RE		14,0	270,0	80,0	1.941,20
E-YY-O	2x6 RE		15,0	340,0	120,0	2.051,00
E-YY-O	2x10 RE		16,0	460,0	200,0	2.875,30
E-YY-O	2x16 RE		18,0	620,0	320,0	5.160,80
E-YY-O	3x1,5 RE		12,0	190,0	45,0	1.098,80
E-YY-O	3x2,5 RE		13,0	240,0	75,0	1.465,00
E-YY-O	3x4 RE		14,0	330,0	120,0	2.148,70
E-YY-O	3x6 RE		15,0	410,0	180,0	2.673,70
E-YY-O	3x10 RE		17,0	590,0	300,0	3.833,70
E-YY-O	3x16 RE		19,0	820,0	480,0	5.570,90
E-YY-O	4x1,5 RE		13,0	220,0	60,0	1.318,50
E-YY-O	4x2,5 RE		14,0	280,0	100,0	1.782,40
E-YY-O	4x4 RE		16,0	390,0	160,0	2.527,20
E-YY-O	4x6 RE		17,0	500,0	240,0	3.125,40
E-YY-O	4x10 RE		19,0	710,0	400,0	4.324,90
E-YY-O	4x10 RM		20,0	760,0	400,0	5.055,70
E-YY-O	4x16 RE		22,0	1.020,0	640,0	6.469,40
E-YY-O	4x16 RM		23,0	1.080,0	640,0	7.104,30
E-YY-O	5x1,5 RE		14,0	270,0	75,0	1.587,10
E-YY-O	5x2,5 RE		15,0	340,0	125,0	2.136,50
E-YY-O	5x4 RE		17,0	480,0	200,0	3.064,30
E-YY-O	5x6 RE		18,0	610,0	300,0	3.760,20
E-YY-O	5x10 RM		22,0	910,0	500,0	5.726,60
E-YY-O	5x16 RM		24,0	1.250,0	800,0	8.841,50
E-YY-J	3x1,5 RE		11,0	210,0	45,0	1.098,80
E-YY-J	3x2,5 RE		13,0	260,0	75,0	1.465,00
E-YY-J	3x4 RE		14,0	330,0	120,0	2.148,70
E-YY-J	3x6 RE		15,0	410,0	180,0	2.673,70
E-YY-J	3x10 RE		17,0	590,0	300,0	3.833,70
E-YY-J	3x16 RE		19,0	820,0	480,0	5.570,90
E-YY-J	4x1,5 RE		13,0	220,0	60,0	1.318,50
E-YY-J	4x2,5 RE		14,0	310,0	100,0	1.782,40
E-YY-J	4x4,0 RE		17,0	430,0	160,0	2.527,20
E-YY-J	4x6,0 RE		18,0	540,0	240,0	3.125,40
E-YY-J	4x10 RE		19,0	710,0	400,0	4.324,90
E-YY-J	4x10 RM		19,0	710,0	400,0	5.055,70
E-YY-J	4x16 RE		22,0	1.020,0	640,0	6.469,40
E-YY-J	4x16 RM		22,0	1.020,0	640,0	7.104,30
E-YY-J	5x1,5 RE		13,0	270,0	75,0	1.587,10
E-YY-J	5x2,5 RE		15,0	340,0	125,0	2.136,50
E-YY-J	5x4 RE		16,0	480,0	200,0	3.064,30
E-YY-J	5x6 RE		18,0	610,0	300,0	3.760,20
E-YY-J	5x10 RM		20,0	920,0	500,0	5.726,60
E-YY-J	5x10 RE		20,0	880,0	500,0	5.511,00
E-YY-J	5x16 RE		23,0	1.260,0	800,0	8.026,80

**PVC Energiekabel 0,6/1,0 KV**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis €/ km
E-YY-J 5x16 RM			23,0	1.260,0	800,0	8.841,50
E-YY-O 3x25 RM			25,0	1.320,0	750,0	8.446,10
E-YY-O 3x35 SM			27,0	1.330,0	1.050,0	9.764,00
E-YY-O 3x50 SM			28,0	2.010,0	1.500,0	12.699,10
E-YY-O 3x70 SM			30,0	2.450,0	2.100,0	17.850,70
E-YY-O 3x95 SM			33,0	3.210,0	2.850,0	23.840,80
E-YY-O 3x120 SM			36,0	4.050,0	3.600,0	29.591,40
E-YY-O 3x150 SM			40,0	4.870,0	4.500,0	35.581,50
E-YY-O 3x185 SM			44,0	6.200,0	5.550,0	44.686,60
E-YY-O 3x240 SM			50,0	8.000,0	7.200,0	58.583,80
E-YY-J 3x25+16 RM/RE			27,0	1.580,0	910,0	9.704,10
E-YY-J 3x35+16 SM/RE			29,0	1.690,0	1.210,0	11.860,50
E-YY-J 3x50+25 SM/RM			30,0	2.120,0	1.750,0	14.975,40
E-YY-J 3x70+35 SM			32,0	2.820,0	2.450,0	20.246,70
E-YY-J 3x95+50 SM			36,0	3.840,0	3.350,0	26.716,10
E-YY-J 3x120+70 SM			40,0	4.800,0	4.300,0	34.143,90
E-YY-J 3x150+70 SM			45,0	5.700,0	5.200,0	40.373,70
E-YY-J 3x185+95 SM			49,0	7.250,0	6.500,0	52.114,40
E-YY-J 3x240+120 SM			54,0	9.200,0	8.400,0	65.292,70
E-YY-O 4x25 RM			27,0	1.650,0	1.000,0	10.183,30
E-YY-O 4x35 SM			29,0	1.710,0	1.400,0	13.418,00
E-YY-O 4x50 SM			31,0	2.400,0	2.000,0	15.933,80
E-YY-O 4x70 SM			33,0	3.220,0	2.800,0	22.403,20
E-YY-O 4x95 SM			38,0	4.280,0	3.800,0	30.669,60
E-YY-O 4x120 SM			41,0	5.350,0	4.800,0	37.738,00
E-YY-O 4x150 SM			45,0	6.650,0	6.000,0	45.285,60
E-YY-O 4x185 SM			50,0	8.300,0	7.400,0	56.307,50
E-YY-O 4x240 SM			57,0	10.580,0	9.600,0	74.158,20
E-YY-J 4x25 RM			27,0	1.650,0	1.000,0	10.183,30
E-YY-J 4x35 SM			29,0	1.710,0	1.400,0	13.418,00
E-YY-J 4x50 SM			35,0	2.400,0	2.000,0	15.933,80
E-YY-J 4x70 SM			37,0	3.310,0	2.800,0	22.403,20
E-YY-J 4x95 SM			42,0	4.450,0	3.800,0	30.669,60
E-YY-J 4x120 SM			45,0	5.450,0	4.800,0	37.738,00
E-YY-J 4x150 SM			52,0	6.700,0	6.000,0	45.285,60
E-YY-J 4x185 SM			55,0	8.300,0	7.400,0	56.307,50
E-YY-J 5x25 RM			30,0	2.100,0	1.250,0	14.017,00
E-YY-J 5x35 RM			33,0	2.800,0	1.750,0	18.090,30
E-YY-J 5x50 RM			36,0	3.560,0	2.500,0	24.200,20
<b>E-YY 1 KV VIELLEITER</b>						
E-YY-O 7x1,5RE			15,0	300,0	105,0	1.904,50
E-YY-O 10x1,5RE			18,0	410,0	150,0	2.869,00
E-YY-O 12x1,5RE			18,0	450,0	180,0	3.174,20
E-YY-O 14x1,5RE			19,0	500,0	210,0	3.540,50
E-YY-O 16x1,5RE			20,0	560,0	240,0	4.089,90
E-YY-O 19x1,5RE			21,0	640,0	285,0	4.578,20
E-YY-O 24x1,5RE			25,0	840,0	360,0	5.982,20
E-YY-O 30x1,5RE			26,0	990,0	450,0	7.325,10
E-YY-O 37x1,5RE			28,0	1.130,0	555,0	9.625,40
E-YY-O 44x1,5RE			31,0	1.340,0	660,0	11.930,70
E-YY-O 48x1,5RE			31,0	1.450,0	720,0	12.545,20
E-YY-O 61x1,5RE			34,0	1.820,0	915,0	14.284,00
E-YY-O 7x2,5RE			16,0	390,0	175,0	3.174,20
E-YY-O 10x2,5RE			19,0	550,0	250,0	4.639,20
E-YY-O 12x2,5RE			20,0	630,0	300,0	5.493,80
E-YY-O 14x2,5RE			21,0	720,0	350,0	6.226,40
E-YY-O 16x2,5RE			22,0	840,0	400,0	7.080,90
E-YY-O 19x2,5RE			24,0	910,0	475,0	8.057,60
E-YY-O 24x2,5RE			27,0	1.170,0	600,0	9.644,70
E-YY-O 30x2,5RE			29,0	1.350,0	750,0	12.330,60
E-YY-O 37x2,5RE			31,0	1.600,0	925,0	13.921,00
E-YY-O 44x2,5RE			36,0	1.850,0	1.100,0	16.160,30
E-YY-O 48x2,5RE			36,0	2.070,0	1.200,0	17.440,10
E-YY-O 61x2,5RE			38,0	2.630,0	1.525,0	22.063,70
E-YY-O 7x4 RE			19,0	600,0	280,0	4.163,10
E-YY-O 10x4 RE			24,0	870,0	400,0	6.318,90
E-YY-O 12x4 RE			25,0	1.010,0	480,0	7.108,40
E-YY-O 14x4 RE			26,0	1.170,0	560,0	8.112,60
E-YY-O 19x4 RE			28,0	1.450,0	760,0	10.332,40
E-YY-O 24x4 RE			34,0	1.730,0	960,0	13.476,70
E-YY-O 30x4 RE			35,0	2.070,0	1.200,0	15.539,90
E-YY-O 7x6 RE			20,0	760,0	420,0	6.873,40

**PVC Energiekabel 0,6/1,0 KV**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
E-YY-J 7x1,5 RE			14,0	250,0	105,0	1.904,50
E-YY-J 7x2,5 RE			17,0	430,0	175,0	3.174,20
E-YY-J 7x4 RE			19,0	600,0	280,0	4.163,10
E-YY-J 7x6 RE			21,0	760,0	420,0	6.873,40
E-YY-J 10x1,5RE			18,0	410,0	150,0	2.869,00
E-YY-J 10x2,5 RE			18,0	480,0	250,0	4.639,20
E-YY-J 12x1,5RE			18,0	450,0	180,0	3.174,20
E-YY-J 14x1,5RE			19,0	500,0	210,0	3.540,50
E-YY-J 14x2,5 RE			21,0	720,0	350,0	6.226,40
E-YY-J 16x1,5 RE			20,0	600,0	240,0	4.089,90
E-YY-J 19x1,5 RE			21,0	640,0	285,0	4.578,20
E-YY-J 24x1,5 RE			25,0	860,0	360,0	5.982,20
E-YY-J 30x1,5 RE			25,0	918,0	450,0	7.325,10
E-YY-J 40x2,5 RE			36,0	1.720,0	1.000,0	13.495,70
<b>E-XXX 1 KV BLAU</b>						
E-XXX-O 2x1,5 RE blau			11,0	160,0	30,0	1.236,70
E-XXX-J 3x1,5 RE blau			12,0	200,0	45,0	1.324,40
<b>ENERGIEKABEL 0,6/1KV CU GESCHIRMT</b>						
E-YYY-O 4x1,5RE/16			15,0	460,0	250,0	4.114,00
E-YYY-O 7x1,5RE/16			17,0	540,0	295,0	4.794,90
E-YYY-O 10x1,5RE/16			20,0	660,0	340,0	5.709,10
E-YYY-O 12x1,5RE/16			20,0	700,0	370,0	6.180,60
E-YYY-O 14x1,5RE/16			21,0	750,0	400,0	7.029,90
E-YYY-O 19x1,5RE/16			23,0	900,0	475,0	8.207,80
E-YYY-O 24x1,5RE/16			27,0	1.110,0	550,0	9.380,60
E-YYY-O 30x1,5RE/16			28,0	1.260,0	640,0	11.244,80
E-YYY-O 37x1,5RE/16			30,0	1.410,0	745,0	12.622,40
E-YYY-O 44x1,5RE/16			33,0	1.630,0	850,0	15.127,00
E-YYY-O 48x1,5RE/16			33,0	1.740,0	910,0	15.511,10
E-YYY-O 61x1,5RE/16			36,0	2.120,0	1.105,0	19.681,20
E-YYY-O 4x2,5RE/16			16,0	520,0	290,0	4.439,70
E-YYY-O 5x2,5RE/16			17,0	580,0	315,0	4.762,60
E-YYY-O 7x2,5RE/16			18,0	630,0	365,0	5.775,70
E-YYY-O 10x2,5RE/16			21,0	800,0	440,0	7.002,20
E-YYY-O 12x2,5RE/16			22,0	890,0	490,0	7.759,80
E-YYY-O 14x2,5RE/16			23,0	980,0	540,0	8.372,00
E-YYY-O 16x2,5RE/16			24,0	1.100,0	590,0	9.495,40
E-YYY-O 19x2,5RE/16			26,0	1.180,0	665,0	9.670,70
E-YYY-O 24x2,5RE/16			29,0	1.450,0	790,0	12.000,70
E-YYY-O 30x2,5RE/16			31,0	1.630,0	940,0	14.741,90
E-YYY-O 37x2,5RE/16			33,0	1.890,0	1.115,0	17.310,80
E-YYY-O 48x2,5RE/16			38,0	2.370,0	1.390,0	21.558,60
E-YYY-O 61x2,5RE/16			40,0	2.930,0	1.715,0	26.232,90
E-YYY-O 2x4RE/16			16,0	510,0	270,0	4.512,80
E-YYY-O 4x4RE/16			18,0	630,0	350,0	5.070,90
E-YYY-O 5x4RE/16			19,0	730,0	390,0	5.617,30
E-YYY-O 7x4RE/16			24,0	950,0	470,0	7.221,90
E-YYY-O 12x4RE/16			26,0	1.140,0	670,0	10.841,80
E-YYY-O 2x6RE/16			17,0	580,0	310,0	4.629,10
E-YYY-O 4x6RE/16			19,0	750,0	430,0	5.932,90
E-YYY-O 5x6RE/16			21,0	860,0	490,0	6.662,40
E-YYY-O 4x10RE/16			22,0	970,0	590,0	7.845,40
E-YYY-O 5x10RM/16			25,0	1.200,0	690,0	9.549,10
E-YYY-O 4x16RE/16			24,0	1.280,0	830,0	10.426,50
E-YYY-O 4x16RM/16			26,0	1.400,0	830,0	10.983,80
E-YYY-O 5x16RM/16			29,0	1.500,0	990,0	13.051,50
E-YYY-O 4x25RM/16			29,0	1.750,0	1.190,0	13.705,60
E-YYY-O 2x1,5RE/1,5			10,9	183,0	58,0	2.278,40
E-YYY-O 3x1,5RE/1,5			13,0	230,0	73,0	2.298,20
E-YYY-O 4x1,5RE/1,5			14,0	237,0	88,0	2.548,70
E-YYY-O 5x1,5RE/1,5			15,0	310,0	103,0	2.842,60
E-YYY-O 7x1,5RE/2,5			17,5	340,0	139,0	3.684,10
E-YYY-O 3x2,5RE/2,5			14,0	290,0	113,0	2.749,00
E-YYY-O 4x2,5RE/2,5			15,0	330,0	138,0	3.054,90
E-YYY-O 5x2,5RE/2,5			16,0	390,0	163,0	3.583,00
E-YYY-O 7x2,5RE/2,5			18,0	540,0	213,0	4.352,50
E-YYY-O 12x1,5RE/2,5			19,5	465,0	218,0	4.907,00
E-YYY-O 4x6RE/6			19,0	580,0	315,0	5.066,40
E-YYY-O 5x6RE/6			21,0	720,0	375,0	6.181,40
E-YYY-O 5x10RE/10			25,0	1.080,0	625,0	8.924,70
E-YYY-J 3x1,5RE/1,5			13,0	230,0	73,0	2.298,20
E-YYY-J 4x1,5RE/1,5			14,0	270,0	88,0	2.548,70

**PVC Energiekabel 0,6/1,0 KV**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
E-YCY-J 5x1,5RE/1,5			15,0	310,0	103,0	2.842,60
E-YCY-J 10x1,5RE/2,5			20,0	410,0	188,0	4.509,70
E-YCY-J 24x1,5RE/6			27,0	1.110,0	435,0	8.494,70
E-YCY-J 3x2,5RE/2,5			14,0	290,0	113,0	2.749,00
E-YCY-J 4x2,5RE/2,5			15,0	330,0	138,0	3.054,90
E-YCY-J 4x2,5RE/16			16,0	520,0	290,0	4.439,70
E-YCY-J 10x2,5RE/4			21,0	570,0	303,0	5.670,90
E-YCY-J 14x2,5RE/6			23,0	755,0	425,0	8.372,00
E-YCY-J 24x2,5RE/10			29,0	1.240,0	725,0	11.573,80
E-YCY-J 5x4RE/16			19,0	730,0	390,0	5.617,30
<b>ENERGIEKABEL MIT KONZENTRISCHEN LEITER</b>						
NYCWY 3x25/25			27,0	1.650,0	1.045,0	12.185,70
NYCWY 3x70/70			33,0	3.260,0	2.913,0	25.792,30
NYCWY 3x120/70			41,0	5.050,0	4.413,0	39.092,40
NYCWY 4x25/16			32,0	1.750,0	1.190,0	12.621,40
NYCWY 4x35/16			33,0	2.020,0	1.560,0	16.138,60
NYCWY 4x50/25			36,0	2.730,0	2.295,0	20.684,10
<b>ENERGIEKABEL 1KV MIT BLEIMANTEL</b>						
E-YMY 3x1,5re			15,0	695,0	45,0	6.155,30
E-YMY 12x1,5re			20,8	1.008,0	180,0	11.273,00
E-YMY 24x1,5re			26,0	1.990,0	360,0	18.729,80
E-YMY 3x2,5re			15,4	789,0	75,0	6.448,40
E-YMY 5x2,5			17,2	961,0	125,0	8.402,50
E-YMY 12x2,5			22,7	1.545,0	300,0	12.673,60
E-YMY 24x2,5			29,2	2.497,0	600,0	21.057,40
<b>ENERGIEKABEL 0,6/1KV ALU LEITER</b>						
<b>ALU ENERGIEKABEL 1KV 4 LEITER</b>						
E-AYY-J 4x25 RM			25,0	890,0	294,0	6.998,50
E-AYY-O 4x25 RM			25,0	890,0	294,0	6.998,50
E-AYY-O 4x25 RE			25,0	890,0	294,0	6.204,40
E-AYY-O 4x35 SM			26,0	1.090,0	412,0	8.050,20
E-AYY-O 4x50 SM			28,0	1.060,0	588,0	9.541,00
E-AYY-O 4x50 SE			28,0	1.060,0	588,0	8.871,30
E-AYY-O 4x70 SM			33,0	1.490,0	823,0	12.697,80
E-AYY-O 4x70 SE			31,0	1.380,0	823,0	11.838,20
E-AYY-O 4x95 SM			39,0	2.010,0	1.117,0	16.399,40
E-AYY-O 4x95 SE			35,0	1.830,0	1.117,0	15.038,00
E-AYY-J 4x95 SM			39,0	2.010,0	1.117,0	17.426,80
E-AYY-O 4x120 SM			41,0	2.380,0	1.411,0	20.512,60
E-AYY-O 4x120 SE			39,0	2.200,0	1.411,0	18.850,10
E-AYY-O 4x150 SM			45,0	2.930,0	1.764,0	23.586,60
E-AYY-O 4x150 SE			41,0	2.640,0	1.764,0	22.167,20
E-AYY-O 4x185 SM			50,0	3.720,0	2.176,0	30.640,60
E-AYY-O 4x240 SM			56,0	4.550,0	2.822,0	38.992,00
<b>ALU ENERGIEKABEL 1KV SONSTIGE</b>						
E-AYY-O 1x50 RM			15,0	330,0	147,0	2.775,80
E-AYY-O 1x120 RM			21,0	650,0	353,0	5.434,80
E-AYY-O 1x150 RM			23,0	780,0	441,0	6.402,30
E-AYY-O 1x185 RM			25,0	930,0	544,0	7.604,30
E-AYY-O 1x240 RM			28,0	1.170,0	706,0	9.463,50
E-AYY-O 1x300 RM			31,0	1.440,0	882,0	12.226,90
E-AYY-O 3x120 SM			36,0	1.820,0	1.058,0	19.272,80
E-AYY-O 3x150 SM			40,0	2.080,0	1.323,0	22.476,90
E-AYY-O 3x185 SM			44,0	2.760,0	1.632,0	27.724,90
E-AYY-O 3x240 SM			50,0	3.540,0	2.117,0	35.107,90
E-AYY-O 3x300 SM			55,0	4.220,0	2.646,0	46.907,30
<b>PE ISOLIERTE FREILEITUNG 0,6/1KV</b>						
E-A2Y 2x25 RM			18,0	210,0	147,0	2.123,60
E-A2Y 4x25 RM			21,0	420,0	294,0	3.535,40
E-A2Y 4x50 RM			28,0	740,0	588,0	5.236,60
E-A2Y 4x70 RM			32,0	1.000,0	823,0	7.756,90
E-A2Y 4x95 RM			37,0	1.350,0	1.117,0	10.602,20
<b>ENERGIEKABEL 1KV ALU HDPE 0,6/1KV</b>						
E-AY2Y 4x25 RE			27,0	890,0	294,0	6.642,00
E-AY2Y 4x50 SE			29,0	1.100,0	588,0	9.539,80
E-AY2Y 4x50 SM			29,0	1.100,0	588,0	10.269,70
E-AY2Y 4x95 SE			38,0	2.010,0	1.117,0	15.526,10
E-AY2Y 4x95 SM			40,0	2.010,0	1.117,0	17.426,80
E-AY2Y 4x150 SM			51,0	2.910,0	1.764,0	24.529,40
E-AY2Y 4x240 SM			60,0	4.380,0	2.822,0	40.373,30