

**Halogenfreie Kabel / Leitungen ohne Funktionserhalt**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
<b>HALOGENFREIE MANTELLEITUNG</b>						
<b>HALOGENFREIE MANTELLEITUNG FESTE VERLEGUNG</b>						
<b>NHXMH</b>						
(N)HXMH	2x1,5		8,5	110,0	30,0	1.828,90
(N)HXMH	3x1,5		9,0	130,0	45,0	2.019,00
(N)HXMH	4x1,5		9,5	150,0	60,0	2.482,30
(N)HXMH	5x1,5		10,0	175,0	75,0	3.054,20
(N)HXMH	7x1,5		11,0	210,0	105,0	3.561,50
(N)HXMH	12x1,5		12,9	354,0	180,0	5.078,20
(N)HXMH	2x2,5		9,0	140,0	50,0	2.709,40
(N)HXMH	3x2,5		9,5	165,0	75,0	2.541,60
(N)HXMH	4x2,5		10,5	200,0	100,0	3.104,40
(N)HXMH	5x2,5		11,0	235,0	125,0	3.915,30
(N)HXMH	7x2,5		12,5	300,0	175,0	4.447,90
(N)HXMH	3x4,0		11,0	235,0	120,0	3.338,10
(N)HXMH	4x4,0		12,5	300,0	160,0	3.877,90
(N)HXMH	5x4,0		14,0	350,0	200,0	4.989,20
(N)HXMH	3x6,0		12,5	320,0	180,0	4.294,80
(N)HXMH	4x6,0		14,0	395,0	240,0	4.904,60
(N)HXMH	5x6,0		15,0	480,0	300,0	6.167,70
(N)HXMH	3x10		15,0	496,0	300,0	6.429,10
(N)HXMH	4x10		16,0	580,0	400,0	7.262,30
(N)HXMH	5x10		17,5	690,0	500,0	8.380,20
(N)HXMH	4x16 RM		20,5	915,0	640,0	12.474,10
(N)HXMH	5x16 RM		22,5	1.130,0	800,0	16.108,40
CENTROflam	2x1,5re FE 0		6,4	58,0	30,0	1.846,30
CENTROflam	3x1,5re FE 0		6,7	74,0	45,0	2.038,20
CENTROflam	4x1,5re FE 0		7,5	95,0	60,0	2.505,90
CENTROflam	5x1,5re FE 0		8,2	115,6	75,0	3.083,30
CENTROflam	7x1,5re FE 0		9,0	153,0	105,0	3.595,50
CENTROflam	10x1,5re FE 0		11,1	217,0	150,0	5.087,20
CENTROflam	12x1,5re FE 0		11,8	257,0	180,0	5.859,40
CENTROflam	2x2,5re FE 0		7,7	79,0	50,0	2.324,40
CENTROflam	3x2,5re FE 0		7,9	109,0	75,0	2.565,90
CENTROflam	4x2,5re FE 0		8,8	141,0	100,0	3.157,40
CENTROflam	5x2,5re FE 0		9,8	174,0	125,0	3.952,60
CENTROflam	7x2,5re FE 0		10,6	223,0	175,0	5.706,20
CENTROflam	3x4,0re FE 0		9,1	162,0	120,0	4.610,60
CENTROflam	5x4,0re FE 0		11,1	261,0	200,0	5.036,70
CENTROflam	3x6,0re FE 0		10,5	226,0	180,0	4.674,60
CENTROflam	5x6,0re FE 0		12,9	371,0	300,0	6.226,40
CENTROflam	5x10rm FE 0		18,1	652,0	500,0	8.460,00
CENTROflam	5x16rm FE 0		20,9	963,0	800,0	16.261,80
<b>HALOGENFREIE MANTELLEITUNG FLEXIBEL</b>						
<b>NHXLHXö</b>						
(N)HXLHXö	2x0,75		7,0	70,0	15,0	1.630,40
(N)HXLHXö	3x0,75		8,5	100,0	22,5	2.063,80
(N)HXLHXö	4x0,75		9,2	119,0	30,0	2.132,00
(N)HXLHXö	5x0,75		9,8	142,0	37,5	2.512,30
(N)HXLHXö	3x1,0		8,7	75,0	30,0	2.054,10
(N)HXLHXö	4x1,0		9,1	122,0	40,0	2.492,50
(N)HXLHXö	3x1,5		8,8	121,0	45,0	2.375,80
(N)HXLHXö	4x1,5		9,9	154,0	60,0	2.867,60
(N)HXLHXö	5x1,5		11,2	198,0	75,0	3.657,80
(N)HXLHXö	7x1,5		13,2	274,0	105,0	5.054,70
(N)HXLHXö	34x1,5		27,0	490,0	510,0	22.304,20
<b>HALOGENFREIE ELEKTRONIKLTG GESCHIRMT</b>						
Li-2YCHM2	5x0,14		4,7	32,0	20,4	2.766,60
Li-2YCHM2	7x0,14		5,2	39,0	23,5	2.809,50
Li-XNYCVNY	16x0,14		8,0	100,0	42,4	4.265,50
Li-2YHM2	4x0,25		5,4	45,0	10,0	1.743,30
Li-2YCHM2	14x0,25		8,5	120,0	66,9	5.194,80
Li-NYFCVNY	7x0,34		7,2	70,0	39,9	2.656,60
Li-NYFCVNY	3x2x0,25		6,8	49,0	44,3	3.858,50
Li-NYFCVNY	5x2x0,25		7,6	81,0	62,7	6.967,80
Li-NYFCVNY	2x2x0,5		9,5	140,0	52,4	2.944,50
Li-2YFCVNY	2x2x0,5		9,5	140,0	52,4	2.944,50
Li-NYFCVNY	3x2x0,5		9,9	165,0	67,4	4.681,80
Li-2YFCVNY	2x2x0,75		10,0	156,0	67,5	4.424,90
<b>HALOGENFREIE KABEL</b>						
<b>HALOGENFREIE KABEL 1KV FESTE VERLEGUNG UNGESCHIRMT</b>						

**Halogenfreie Kabel / Leitungen ohne Funktionserhalt**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
N2XH-O	1x10 RE		10,0	200,0	100,0	2.486,50
N2XH-O	1x16 RE		12,0	280,0	160,0	3.958,20
N2XH-O	1x25 RM		14,0	450,0	250,0	5.492,60
N2XH-O	1x35 RM		15,0	550,0	350,0	6.594,80
N2XH-O	1x50 RM		16,0	700,0	500,0	8.446,40
N2XH-O	1x70 RM		18,0	900,0	700,0	10.903,00
N2XH-O	1x95 RM		20,0	1.200,0	950,0	13.832,70
N2XH-O	1x120 RM		22,0	1.500,0	1.200,0	16.508,00
N2XH-O	1x150 RM		24,0	1.800,0	1.500,0	20.103,50
N2XH-O	1x185 RM		26,0	2.200,0	1.850,0	24.259,50
N2XH-O	1x240 RM		29,0	2.800,0	2.400,0	30.563,90
N2XH-O	1x300 RM		33,0	3.500,0	3.000,0	37.844,50
N2XH-J	3x1,5 RE		11,0	179,0	45,0	3.150,30
N2XH-J	3x2,5 RE		12,0	225,0	75,0	3.896,20
N2XH-J	3x4 RE		13,0	291,0	120,0	4.628,50
N2XH-J	3x6 RE		14,0	371,0	180,0	5.887,20
N2XH-J	3x10 RE		16,0	523,0	300,0	7.779,60
N2XH-J	3x16 RE		19,0	773,0	480,0	10.321,20
N2XH-J	4x1,5 RE		12,0	208,0	60,0	3.638,60
N2XH-J	4x2,5 RE		13,0	265,0	100,0	4.466,70
N2XH-J	4x4 RE		14,0	352,0	160,0	5.319,40
N2XH-J	4x6 RE		15,0	454,0	240,0	6.799,50
N2XH-J	4x10 RE		17,0	647,0	400,0	9.277,30
N2XH-J	4x16 RE		20,0	964,0	640,0	12.583,80
N2XH-J	4x25 RM		24,0	1.446,0	1.000,0	20.143,40
N2XH-J	4x35 RM		27,0	1.906,0	1.400,0	24.172,10
N2XH-J	4x50 RM		31,0	2.530,0	2.000,0	32.058,40
N2XH-J	4x70 RM		35,0	3.418,0	2.800,0	42.959,10
N2XH-J	4x95 RM		40,0	4.200,0	3.800,0	55.011,80
N2XH-J	4x120 RM		45,0	5.300,0	4.800,0	68.064,30
N2XH-J	5x1,5 RE		13,0	243,0	75,0	4.421,60
N2XH-J	5x2,5 RE		14,0	310,0	125,0	5.512,10
N2XH-J	5x4 RE		15,0	413,0	200,0	6.368,40
N2XH-J	5x6 RE		16,0	536,0	300,0	7.992,80
N2XH-J	5x10 RE		18,0	776,0	500,0	10.636,90
N2XH-J	5x16 RM		22,5	1.130,0	800,0	14.242,20
N2XH-J	5x25 RM		27,0	1.766,0	1.250,0	24.160,60
N2XH-J	7x1,5 RE		14,0	206,0	105,0	5.314,00
N2XH-J	7x2,5 RE		15,0	287,0	175,0	6.478,50
N2XH-J	10x1,5 RE		17,0	420,0	150,0	6.836,70
N2XH-J	10x2,5 RE		18,0	472,0	250,0	8.525,20
N2XH-J	12x1,5 RE		18,0	328,0	180,0	7.826,00
N2XH-J	12x2,5 RE		19,0	472,0	300,0	9.795,90
N2XH-J	14x1,5 RE		19,0	383,0	210,0	8.786,20
N2XH-J	19x1,5 RE		21,0	484,0	285,0	10.997,70
N2XH-J	24x1,5 RE		20,0	603,0	360,0	13.015,30
N2XH-J	30x1,5 RE		23,0	730,0	450,0	15.527,60
<b>HALOGENFREIE KABEL 1KV FESTE VERLEGUNG GESCHIRMT</b>						
N2XCH-O	2x1,5/1,5 RE		13,0	250,0	58,0	4.982,70
N2XCH-O	2x2,5/2,5 RE		13,0	280,0	88,0	5.575,30
N2XCH-O	3x1,5/1,5 RE		13,0	250,0	73,0	5.281,40
N2XCH-O	3x2,5/2,5 RE		14,0	320,0	113,0	6.175,00
N2XCH-O	3x4/4 RE		15,0	400,0	173,0	7.363,70
N2XCH-O	3x6/6 RE		16,0	500,0	255,0	9.375,70
N2XCH-O	3x10/10 RE		18,0	750,0	425,0	11.552,60
N2XCH-O	3x16/16 RE		20,0	1.000,0	670,0	15.525,50
N2XCH-O	3x25/16 RM		25,0	1.600,0	940,0	22.071,20
N2XCH-O	3x35/16 RM		29,0	1.900,0	1.240,0	27.813,40
N2XCH-O	3x50/25 RM		32,0	2.400,0	1.795,0	35.132,80
N2XCH-O	3x240/120 RM		63,9	9.600,0	8.580,0	143.521,90
N2XCH-O	4x1,5/1,5 RE		13,0	235,0	88,0	5.527,40
N2XCH-O	4x2,5/2,5 RE		14,0	302,0	138,0	6.526,90
N2XCH-O	4x4/4 RE		15,0	411,0	213,0	7.960,30
N2XCH-O	4x6/6 RE		17,0	527,0	315,0	10.249,20
N2XCH-O	4x10/10 RE		19,0	762,0	525,0	12.843,60
N2XCH-O	4x16/16 RE		22,0	1.139,0	830,0	17.340,90
N2XCH-O	4x25/16 RM		27,0	1.634,0	1.190,0	26.513,50
N2XCH-O	4x35/16 RM		29,0	2.080,0	1.590,0	29.893,70
N2XCH-O	4x50/25 RM		33,0	2.790,0	2.295,0	38.087,60
N2XCH-O	4x70/35 RM		40,0	3.550,0	3.210,0	50.129,10
N2XCH-O	4x95/50 RM		45,0	4.800,0	4.380,0	64.984,70
N2XCH-O	4x120/70 RM		48,4	6.271,0	5.610,0	78.824,90

**Halogenfreie Kabel / Leitungen ohne Funktionserhalt**

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
N2XCH-O	4x150/70 RM		53,2	7.477,0	6.810,0	94.985,70
N2XCH-O	4x185/95 RM		60,0	9.950,0	8.500,0	120.253,40
N2XCH-O	4x240/120 RM		66,0	12.950,0	10.980,0	138.478,10
N2XCH-O	7x1,5/2,5 RE		15,0	380,0	143,0	7.022,00
N2XCH-O	7x2,5/2,5 RE		17,0	480,0	213,0	8.295,00
N2XCH-O	7x4/4 RE		18,0	650,0	333,0	9.119,10
N2XCH-O	7x6/6 RE		19,0	850,0	495,0	11.198,70
N2XCH-O	12x1,5/2,5 RE		19,0	550,0	218,0	9.589,00
N2XCH-O	12x2,5/4 RE		19,0	750,0	353,0	11.980,90
N2XCH-O	24x1,5/6 RE		24,0	950,0	435,0	14.494,40
N2XCH-O	30x1,5/6 RE		25,0	1.100,0	525,0	19.525,70
N2XCH-O	30x2,5/10 RE		28,0	1.500,0	875,0	23.832,30
<b>FERNMELDEKABEL HALOGENFREI</b>						
<b>SCHLAUCHLEITUNG HALOGENFREI UNGESCHIRMT</b>						
LF-NYNY	2x0,6		4,0	13,0	5,6	438,20
LF-NYNY	3x0,6		4,4	16,0	8,4	508,00
LF-NYNY	4x0,6		5,2	20,0	11,2	644,70
LF-NYNY	5x0,6		5,7	24,0	14,0	1.080,90
LF-NYNY	10x0,6		6,8	47,0	28,0	2.387,00
LF-NYNY	2x0,8		4,6	16,0	10,0	1.328,90
<b>HALOGENFREIE FERNMELDEKABEL ALUGESCHIRMT INNENRAUM</b>						
J-H(St)H	2x2x0,6		5,5	48,0	13,0	1.791,00
J-H(St)H	3x2x0,6		6,5	60,0	18,0	2.374,00
J-H(St)H	4x2x0,6		7,0	80,0	24,0	2.681,00
J-H(St)H	5x2x0,6		8,0	93,0	30,0	3.124,00
J-H(St)H	6x2x0,6		8,5	105,0	36,0	3.361,80
J-H(St)H	10x2x0,6		10,5	140,0	59,0	4.504,20
J-H(St)H	20x2x0,6		14,0	290,0	116,0	6.839,80
J-H(St)H	30x2x0,6		16,0	340,0	172,0	9.246,50
J-H(St)H	40x2x0,6		17,5	430,0	228,0	11.328,60
J-H(St)H	50x2x0,6		20,0	540,0	285,0	13.402,80
J-H(St)H	100x2x0,6		27,5	1.050,0	568,0	22.716,60
J-H(St)H	1x2x0,8		6,5	60,0	12,0	1.759,30
J-H(St)H	2x2x0,8		6,7	66,0	25,0	2.661,30
J-H(St)H	3x2x0,8		8,5	79,0	35,0	3.448,50
J-H(St)H	4x2x0,8		9,9	105,0	45,0	4.072,70
J-H(St)H	5x2x0,8		10,2	120,0	55,0	4.488,30
J-H(St)H	6x2x0,8		10,4	135,0	65,0	5.196,50
J-H(St)H	10x2x0,8		12,8	205,0	103,0	7.286,10
J-H(St)H	16x2x0,8		18,0	360,0	165,0	10.158,20
J-H(St)H	20x2x0,8		19,0	430,0	205,0	11.967,00
J-H(St)H	30x2x0,8		20,1	600,0	305,0	16.054,40
J-H(St)H	40x2x0,8		21,2	770,0	405,0	19.687,00
J-H(St)H	50x2x0,8		24,9	940,0	505,0	23.320,00
J-H(St)H	100x2x0,8		35,7	1.800,0	1.005,0	41.780,90
<b>INDUSTRIELEKTRONIKKABEL HALOGENFREI</b>						
JE-H(St)H	2x2x0,8		6,5	70,0	25,0	6.999,00
JE-H(St)H	4x2x0,8		8,3	107,0	45,0	7.852,30
JE-H(St)H	8x2x0,8		11,2	176,0	85,0	10.172,70
JE-H(St)H	12x2x0,8		11,8	230,0	126,0	12.388,70
JE-H(St)H	16x2x0,8		12,8	285,0	166,0	14.889,30
JE-H(St)H	20x2x0,8		14,0	340,0	206,0	17.295,60
JE-H(St)H	24x2x0,8		15,1	400,0	246,0	19.719,30
JE-H(St)H	32x2x0,8		18,9	535,0	327,0	24.485,90
JE-H(St)H	40x2x0,8		20,1	640,0	407,0	28.382,50