

Fernmeldeaußenkabel

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
FERNMELDEERDKABEL MIT ALUSCHIRM						
F2YA2Y						
F-2YA2Y	2x2x0,6		7,4	47,0	13,0	1.135,70
F-2YA2Y	6x2x0,6		10,2	90,0	36,0	2.133,50
F-2YA2Y	10x2x0,6		11,9	130,0	59,0	2.913,50
F-2YA2Y	20x2x0,6		14,5	209,0	115,0	4.333,40
F-2YA2Y	30x2x0,6		17,2	295,0	172,0	5.707,40
F-2YA2Y	40x2x0,6		18,8	366,0	228,0	7.197,40
F-2YA2Y	50x2x0,6		20,6	444,0	285,0	8.417,70
F-2YA2Y	60x2x0,6		21,1	515,0	342,0	9.739,60
F-2YA2Y	100x2x0,6		27,8	870,0	568,0	14.727,40
F-2YA2Y	2x2x0,8		8,4	63,0	22,0	1.975,30
F-2YA2Y	6x2x0,8		11,6	129,0	62,0	3.082,90
F-2YA2Y	10x2x0,8		14,5	199,0	103,0	4.222,20
F-2YA2Y	20x2x0,8		18,0	332,0	203,0	6.772,80
F-2YA2Y	30x2x0,8		21,8	478,0	304,0	7.999,20
F-2YA2Y	40x2x0,8		24,1	620,0	404,0	10.207,70
F-2YA2Y	50x2x0,8		26,0	720,0	505,0	12.336,30
F-2YA2Y	60x2x0,8		28,8	890,0	606,0	14.278,70
F-2YA2Y	100x2x0,8		33,0	1.400,0	1.008,0	22.038,40
FERNMELDEERDKABEL MIT CU-SCHIRM						
F2YC2Y						
F-2YC2Y	2x2x0,6		7,2	56,0	31,5	1.393,30
F-2YC2Y	6x2x0,6		10,2	113,0	70,0	2.568,90
F-2YC2Y	10x2x0,6		12,3	164,0	97,0	3.339,30
F-2YC2Y	20x2x0,6		15,0	255,0	173,0	5.238,10
F-2YC2Y	30x2x0,6		17,5	330,0	242,0	6.480,20
F-2YC2Y	40x2x0,6		19,1	432,0	304,5	8.087,50
F-2YC2Y	50x2x0,6		21,0	520,0	370,5	9.259,50
F-2YC2Y	60x2x0,6		22,0	590,0	433,0	10.414,50
F-2YC2Y	100x2x0,6		27,5	910,0	682,0	17.587,70
F-2YC2Y	2x2x0,8		8,2	78,0	50,0	2.236,40
F-2YC2Y	6x2x0,8		12,3	165,0	104,5	3.631,90
F-2YC2Y	10x2x0,8		15,2	248,0	160,0	4.749,40
F-2YC2Y	20x2x0,8		18,7	397,0	279,0	7.506,80
F-2YC2Y	30x2x0,8		22,2	560,0	392,0	9.134,60
F-2YC2Y	50x2x0,8		26,0	755,0	615,0	13.412,40
EISENBAHNSIGNALKABEL BEWEHRT, HALOGENFREI						
A2YHBH						
A-2YHBH	4x1x0,9(H115)		12,2	205,0	26,0	4.595,90
A-2YHBH	7x1x0,9(H115)		13,1	240,0	45,0	5.140,70
A-2YHBH	14x1x0,9(H115)		15,1	335,0	93,0	5.868,70
A-2YHBH	4x1x1,4(H145)		13,0	255,0	62,0	5.717,30
A-2YHBH	7x1x1,4(H145)		14,8	335,0	108,0	7.175,60
A-2YHBH	14x1x1,4(H145)		17,7	500,0	220,0	8.672,80
A-2YHBH	4x1x1,8(H145)		15,1	335,0	102,0	7.509,10
A-2YHBH	7x1x1,8(H145)		16,4	425,0	179,0	9.102,50
A-2YHBH	14x1x1,8(H145)		20,3	715,0	361,0	12.403,20
A2Y(L)HBH, SCHICHTENMANTEL						
A-2Y(L)HBH	1x4x0,9		14,6	265,0	27,0	7.409,30
A-2Y(L)HBH	1x4x1,4		16,6	350,0	63,0	8.909,90
FERNMELDEERDKABEL MIT SCHICHTENMANTEL LÄNGSWASSER.						
A2YF(L)2Y, F2YJA2Y LT. VDE						
A-2YF(L)2Y	2x2x0,6		9,0	80,0	13,0	1.976,10
A-2YF(L)2Y	6x2x0,6		13,0	140,0	36,0	2.919,90
A-2YF(L)2Y	10x2x0,6		14,0	190,0	59,0	3.726,20
A-2YF(L)2Y	20x2x0,6		17,0	310,0	115,0	5.459,90
A-2YF(L)2Y	30x2x0,6		20,0	430,0	172,0	7.057,80
A-2YF(L)2Y	40x2x0,6		22,0	545,0	228,0	8.406,20
A-2YF(L)2Y	50x2x0,6		24,0	660,0	285,0	9.734,20
A-2YF(L)2Y	100x2x0,6		31,0	1.225,0	568,0	16.655,50
A-2YF(L)2Y	2x2x0,8		10,0	100,0	22,0	2.599,50
A-2YF(L)2Y	6x2x0,8		13,0	170,0	62,0	3.824,60
A-2YF(L)2Y	10x2x0,8		16,0	275,0	103,0	4.827,40
A-2YF(L)2Y	20x2x0,8		20,0	475,0	203,0	7.447,30
A-2YF(L)2Y	30x2x0,8		23,0	665,0	304,0	9.645,90
A-2YF(L)2Y	40x2x0,8		27,0	860,0	404,0	12.087,20
A-2YF(L)2Y	50x2x0,8		29,0	1.050,0	505,0	13.972,20
A-2YF(L)2Y	100x2x0,8		39,0	1.985,0	1.008,0	24.275,70
F-2YJA2Y LT. ÖVE						
F-2YJA2Y	6x2x0,6		12,0	130,0	34,0	2.245,90

Fernmeldeaußenkabel

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
F-2YJA2Y	10x2x0,6		14,0	185,0	57,0	3.208,70
F-2YJA2Y	20x2x0,6		18,0	320,0	113,0	4.614,00
F-2YJA2Y	30x2x0,6		20,0	420,0	170,0	5.937,10
F-2YJA2Y	40x2x0,6		21,0	520,0	226,0	7.192,60
F-2YJA2Y	50x2x0,6		24,0	650,0	283,0	8.537,50
F-2YJA2Y	60x2x0,6		25,0	740,0	342,0	9.878,70
F-2YJA2Y	80x2x0,6		29,0	960,0	453,0	12.529,80
F-2YJA2Y	100x2x0,6		32,0	1.180,0	566,0	15.306,70
F-2YJA2Y	6x2x0,8		14,0	190,0	60,0	3.520,70
F-2YJA2Y	10x2x0,8		16,0	275,0	101,0	4.572,90
F-2YJA2Y	20x2x0,8		21,0	450,0	201,0	7.431,90
F-2YJA2Y	30x2x0,8		24,0	700,0	302,0	8.994,70
F-2YJA2Y	40x2x0,8		26,0	860,0	402,0	10.855,90
F-2YJA2Y	50x2x0,8		30,0	1.100,0	503,0	13.324,40
F-2YJA2Y	60x2x0,8		31,0	1.240,0	604,0	15.739,70
LI-X2YCVY - LI-X2YYCVY						
Li-X2YCVY	1x2x0,5/2,5		8,3	89,0	44,0	1.882,30
		bl				2.070,50
Li-X2YCVY	2x2x0,5(0,30)/2,5		11,3	127,0	68,0	2.787,50
		bl				3.345,00
Li-X2YCVY	6x2x0,5(0,30)/2,5		14,1	295,0	146,0	6.291,40
		bl				7.549,70
Li-X2YYCVY	12x2x0,5/2,5		17,9	415,0	258,0	10.813,30
		bl				11.894,60
Li-X2YYCVY	12x2x0,5/16		20,5	554,0	302,0	13.949,20
		bl				15.344,10
Li-X2YYCVY	24x2x0,5/16		25,7	720,0	435,0	20.477,40
		bl				22.525,30
Li-X2YCVY	1x2x1,0(0,43)		8,8	95,0	62,0	2.450,50
		bl				2.695,60
Li-X2YCVY	2x2x1,0(0,43)		11,8	165,0	112,0	4.270,50
		bl				4.697,50
Li-X2YCVY	1x3x1,0(0,43)		9,2	114,0	78,0	3.842,80
		bl				4.227,10
Li-X2YCVY	6x2x1,0(0,43)		15,6	320,0	185,0	10.554,70
		bl				11.610,10
Li-X2YYCVY	12x2x1,0(0,43)		19,5	520,0	349,0	20.351,00
		bl				22.386,10
Li-X2YYCVY	24x2x1,0(0,43)		26,5	990,0	743,0	28.869,20
		bl				31.756,10
Li-X2YYCvY	24x2x1,0/16		29,0	1.190,0	640,0	34.369,70
		bl				37.806,70
Li-X2YCvY	1x2x1,5		9,8	142,0	92,0	3.452,20
		bl				3.452,20
Li-X2YCvY	2x2x1,5		12,9	218,0	145,0	4.250,70
		bl				4.250,70
Li-X2YCvY	7x2x1,5		18,9	570,0	282,0	9.851,70
		bl				9.851,70
Li-X2YYCvY	12x2x1,5/16		24,9	940,0	525,0	15.957,60
		bl				15.957,60
Li-X2YYCvY	24x2x1,5/16		34,0	1.572,0	1.065,0	29.320,20
		bl				29.320,20
RE-X2YCvY	1x3x1,5/1,5		10,5	162,0	60,0	4.577,70
RE-X2YYCvY	4x3x1,5/16 TIMF		18,2	760,0	400,0	12.586,80
RE-X2YYCvY	7x2x1,5/16 PIMF		21,9	670,0	439,0	15.091,60
RE-X2YYCVY	7x3x1,5/16 TIMF		25,0	910,0	555,0	17.832,10
RE-X2YYCvY	9x3x1,5/16 TIMF		27,0	1.170,0	555,0	22.927,10
RE-X2YYCVY	12x2x1,5/16 PIMF		27,0	851,0	550,0	21.608,10
RE-X2YYCVY	24x2x1,5/16 PIMF		37,8	1.907,0	1.467,0	39.077,90
SPEZIALSTEUERKABEL, ARMIERT FÜR WASSERVERSORGUNGSANLAGEN						
F-2Y2YR2Y3V	2x2x0,8 / C38		18,0	550,0	20,0	7.401,10
F-2Y2YR2Y3V	4x2x0,8 / C38		19,0	600,0	40,0	7.840,30
F-2Y2YR2Y3V	6x2x0,8 / C38		20,0	650,0	60,0	8.370,20
F-2Y2YR2Y3V	8x2x0,8 / C38		21,0	700,0	80,0	8.918,20
F-2Y2YR2Y3V	10x2x0,8 / C38		22,0	800,0	101,0	9.509,40
F-2Y2YR2Y3V	14x2x0,8 / C38		24,0	900,0	141,0	10.354,30
F-2Y2YR2Y3V	20x2x0,8 / C38		28,0	1.150,0	201,0	12.162,60
F-2Y2YR2Y3V	30x2x0,8 / C38		31,0	1.400,0	302,0	15.007,30
F-2Y2YR2Y3V	50x2x0,8 / C38		37,0	1.900,0	505,0	20.507,30
F-2Y2YR2Y3V	2x2x0,8 / C50		16,0	450,0	20,0	6.598,10
F-2Y2YR2Y3V	4x2x0,8 / C50		17,0	500,0	40,0	6.977,40
F-2Y2YR2Y3V	6x2x0,8 / C50		18,0	550,0	60,0	7.487,30

Fernmeldeaußenkabel

Artikel Kurzzeichen	Dimension n x m	Artikelfarbe	Ø mm	Gewicht kg / km	Kupfer kg / km	Preis € / km
F-2Y2YR2Y3V	8x2x0,8 / C50		19,0	600,0	80,0	7.989,40
F-2Y2YR2Y3V	10x2x0,8 / C50		20,0	650,0	101,0	8.971,20
F-2Y2YR2Y3V	14x2x0,8 / C50		21,0	750,0	141,0	9.469,20
F-2Y2YR2Y3V	20x2x0,8 / C50		23,0	900,0	201,0	10.565,50
F-2Y2YR2Y3V	30x2x0,8 / C50		26,0	1.100,0	302,0	14.117,60
F-2Y2YR2Y3V	50x2x0,8 / C50		30,0	1.500,0	505,0	19.436,20